


ELEMENT4
LUXURY FIREPLACES



Masters of atmosphere


Technische
specificaties

GAS
FIREPLACES

The fireplace is where we come to unwind, indoors or out. A place for quiet moments, shared moments, and time that feels entirely your own. The space around the fire should feel effortless and inviting: a setting where warmth comes naturally and the experience is unmistakable.

Element4 elevates indoor and outdoor spaces through fire. We create luxury fireplaces that do more than complement a space, they define it. With a versatile collection designed around individual tastes and ambitions, inspired design and impressive solutions come together to create truly distinctive atmospheres.

Element4, masters of atmosphere.




Contents

Cupido 50	5
Cupido 70	7
Modore 240	9
Tenore 240	11
Summum 190 3/S	13
Summum 190 C	15
Summum 190 F	17
Summum 140 4/S	19
Summum 140 R	21
Summum 140 T	23
Summum 140 3/S	25
Summum 140 C	27
Summum 140 F	29
Summum 100 3/S	31
Summum 100 C	33
Summum 100 F	35
Summum 70 3/S	37
Summum 70 C	39



Summum 70 F	41
Sky L T	43
Sky L R	45
Sky SQ	47
Sky S T	49
Sky S R	51
Sky M R	53
Sky S F	55
Sky M T	57
Sky M F	59
Sky L F	61
DSE 70	63
Ovation SW	65
Ovation	67





Front

Cupido 50

The Cupido 50 shows that a compact fireplace can be grand in ambiance. With its relatively small size and minimal installation depth, this gas fireplace easily fits into various interiors. The Real Flame Burner, along with the lifelike logs, provides a surprisingly realistic fire image.

FUEL

**Natural gas,
propane**

HEAT OUTPUT


**7,800 - 23,800
BTU**

CONTROL

**Remote control,
app, and voice**

FIRE VIEW

Front



Technical specifications

Type	Front, Built-in
Fuel	Gas

Burner

Real Flame burner

Heat output

Natural gas (min-max)	7,800 - 23,800 BTU
Propane (min-max)	8,000 - 24,000 BTU
Efficiency	88%
Energy efficiency class	B

Technical Specifications

App control	Standard
Remote control	Standard

Options

LED bottom lighting	Optional
Anti-reflective glass	Optional
Connect to home automation	Optional
Powerfan	Optional
Safety screen	Standard
Back wall	Steel or black glass
3,9 inch wide trims	Optional



Front

Cupido 70

The Cupido 70 combines a compact size with a generous fire display. The fireplace is designed to efficiently use the available space, while the Real Flame Burner S ensures a lively and realistic flame effect. Thus, the Cupido 70 is a versatile choice for modern living spaces.

FUEL

**Natural gas,
propane**

HEAT OUTPUT

**7,800 - 23,800
BTU**


CONTROL

**Remote control,
app, and voice**

FIRE VIEW

Front

CUPIDO 70



Technical specifications

Type	Front, Built-in
Fuel	Gas

Burner

Real Flame burner

Heat output

Natural gas (min-max)	7,800 - 23,800 BTU
Propane (min-max)	8,000 - 24,000 BTU
Efficiency	88%
Energy efficiency class	B

Technical Specifications

App control	Standard
Remote control	Standard

Options

LED bottom lighting	Optional
Anti-reflective glass	Optional
Connect to home automation	Optional
Powerfan	Optional
Safety screen	Standard
Back wall	Steel or black glass
3,9 inch wide trims	Optional



Front

Modore 240

With an impressive width of 240 centimeters, the Modore 240 is made to be seen. The three burners create a wide and intense fire image that emphasizes the full length of the fireplace. By switching off the left and right burners separately, you can adjust the fire image and heat as desired.

FUEL

**Natural gas,
propane**

HEAT OUTPUT

**26,000 - 88,000
BTU**


CONTROL

**Remote control,
app, and voice**

FIRE VIEW

Front

MODORE 240



Technical specifications

Type	Front, Built-in
Fuel	Gas

Burner

Multi burner

Options

Connect to home automation	Optional
Powerfan	Optional
Safety screen	Standard
Back wall	Steel or black glass

Burner

Multi burner

Technical specifications

Control via app	Standard
Remote control	Standard

Heat output

Natural gas (min-max)	26,000 - 88,000 BTU
Propane (min-max)	19,500 - 64,800 BTU
Efficiency	89%
Energy efficiency class	A



See-through

Tenore 240

The Tenore 240 is an impressive, extra-wide tunnel fireplace of no less than 240 cm. Thanks to the see-through design, you can enjoy the same atmospheric fire from two rooms. The fireplace comes standard with a realistic log set; for a sleeker, modern look, you can optionally choose white stones.

FUEL

**Natural gas,
propane**

HEAT OUTPUT

**26,000 - 88,000
BTU**


CONTROL

**Remote control,
app, and voice**

FIRE VIEW

See-through

TENORE 240



Technical specifications

Type	See-through, Built-in
Fuel	Gas

Burner

Multi burner

Heat output

Natural gas (min-max)	26,000 - 88,000 BTU
Propane (min-max)	19,500 - 64,800 BTU
Efficiency	89%
Energy efficiency class	A

Technical specifications

Control via app	Standard
Remote control	Standard

Options

Connect to home automation	Optional
Powerfan	Optional
Safety screen	Standard
Back wall	Steel or black glass



Three-sided

Summum 190 3/S

The Summum 190 3-sided is an impressive fireplace for those who want to experience the fire from multiple positions. The generous width is combined with three glass sides, making the fire appear deep and spacious. The large size makes this model particularly suitable for spacious living rooms and open living concepts.

FUEL

**Natural gas,
propane**

HEAT OUTPUT

**8,800 - 59,300
BTU**


CONTROL

**Remote control,
app, and voice**

FIRE VIEW

Three-sided

SUMMUM 190 3S



Technical specifications

Type	Three-sided, Built-in
Fuel	Gas

Burner

Real Flame burner

Heat output

Natural gas (min-max)	8,800 - 59,300 BTU
Propane (min-max)	17,400 - 55,200 BTU
Efficiency	90%
Energy efficiency class	A

Technical specifications

App control	Standard
Remote control	Standard

Options

LED floor lighting	Standard
Anti-reflective glass	Optional
Connect to home automation	Optional
Powerfan	Optional
Safety screen	Standard
Back wall	Steel or black glass



Corner

Summum 190 C

The Summum 190 Corner combines the impressive length of a large fireplace with the spaciousness of a corner setup. The fire is not only visible from the front but can also be experienced from the side. This creates a dynamic fire view that beautifully complements large, open living spaces.

FUEL

**Natural gas,
propane**

HEAT OUTPUT

**8,800 - 59,300
BTU**


CONTROL

**Remote control,
app, and voice**

FIRE VIEW

Corner

SUMMUM 190 CR



Technical specifications

Type	Corner, Built-in
Fuel	Gas

Burner

Real Flame burner

Heat output

Natural gas (min-max)	8,800 - 59,300 BTU
Propane (min-max)	17,400 - 55,200 BTU
Efficiency	90%
Energy efficiency class	A

Technical specifications

App control	Standard
Remote control	Standard

Options

LED floor lighting	Standard
Anti-reflective glass	Optional
Connect to home automation	Optional
Powerfan	Optional
Safety screen	Standard
Back wall	Steel or black glass



Front

Summum 190 F

The Summum 190 Front is the ultimate choice for those who want to make a grand statement with fire. With its generous width, the flame play has all the space to unfold across the entire fireplace. The result is an impressive horizontal fire image that fits perfectly within spacious, modern interiors.

FUEL

**Natural gas,
propane**

HEAT OUTPUT

**8,800 - 59,300
BTU**


CONTROL

**Remote control,
app, and voice**

FIRE VIEW

Front

SUMMUM 190 F



Technical specifications

Type	Front, Built-in
Fuel	Gas

Burner

Real Flame burner

Heat output

Natural gas (min-max)	8,800 - 59,300 BTU
Propane (min-max)	17,400 - 55,200 BTU
Efficiency	90%
Energy efficiency class	A

Technical specifications

App control	Standard
Remote control	Standard

Options

LED floor lighting	Standard
Anti-reflective glass	Optional
Connect to home automation	Optional
Powerfan	Optional
Safety screen	Standard
Back wall	Steel or black glass



Four-sided

Summum 140 4/S

The Summum 140 4-sided gives the fire space around all four sides. This creates a special 360° fire image where the fireplace is visible from almost every corner of the room. The result is a freestanding fire element that not only adds warmth and atmosphere but can define the entire space.

FUEL

**Natural gas,
propane**

HEAT OUTPUT

**11,900 - 60,000
BTU**


CONTROL

**Remote control,
app, and voice**

FIRE VIEW

Four-sided

SUMMUM 140 4S



Technical specifications

Type	Four-sided, Built-in
Fuel	Gas

Burner

Real Flame burner

Heat output

Natural gas (min-max)	11,900 - 60,000 BTU
Propane (min-max)	12,600 - 63,100 BTU
Efficiency	90%
Energy efficiency class	A

Technical specifications

Control via app	Standard
Remote control	Standard

Options

LED bottom lighting	Standard
Anti-reflective glass	Optional
Connect to home automation	Optional
Powerfan	Optional
Safety screen	Standard
Back wall	Steel or black glass



Room Divider

Summum 140 R

The Summum 140 Roomdivider turns fire into a stylish separation between two living spaces. The wide glass sections keep the fire visible from multiple directions, creating a unique combination of openness and coziness. A bold choice for modern interiors where the fireplace can be part of the architecture.

FUEL

**Natural gas,
propane**

HEAT OUTPUT

**11,900 - 60,000
BTU**


CONTROL

**Remote control,
app, and voice**

FIRE VIEW

Room divider

SUMMUM 140 RD



Technical specifications

Type	Room Divider, Built-in
Fuel	Gas

Burner

Real Flame burner

Burner

Real Flame burner

Technical specifications

Control via app	Standard
Remote control	Standard

Options

LED bottom lighting	Standard
Anti-reflective glass	Optional
Connect to home automation	Optional
Powerfan	Optional
Safety screen	Standard
Back wall	Steel or black glass

Heat output

Natural gas (min-max)	11,900 - 60,000 BTU
Propane (min-max)	12,600 - 63,100 BTU
Efficiency	90%
Energy efficiency class	A



See-through

Summum 140 T

The Summum 140 Tunnel shows the same fire on two sides and is therefore made to connect spaces. The see-through setup creates an atmospheric view of the flames on both sides. As a result, this fireplace is not only a source of heat but also a powerful architectural element in the home.

FUEL

**Natural gas,
propane**

HEAT OUTPUT

**11,900 - 60,000
BTU**


CONTROL

**Remote control,
app, and voice**

FIRE VIEW

See-through

SUMMUM 140T



Technical specifications

Type	See-through, Built-in
Fuel	Gas

Burner

Real Flame burner

Heat output

Natural gas (min-max)	11,900 - 60,000 BTU
Propane (min-max)	12,600 - 63,100 BTU
Efficiency	90%
Energy efficiency class	A

Technical specifications

Control via app	Standard
Remote control	Standard

Options

LED bottom lighting	Standard
Anti-reflective glass	Optional
Connect to home automation	Optional
Powerfan	Optional
Safety screen	Standard
Back wall	Steel or black glass



Three-sided

Summum 140 3/S

With the Summum 140 3-sided, you bring a generous, three-dimensional fire image into your home. The three glass sides ensure that the flames remain visible from different places in the room. Combined with the wide size and realistic fire image, a fireplace is created that brings atmosphere and becomes an architectural part of the interior.

FUEL

**Natural gas,
propane**

HEAT OUTPUT

**11,900 - 60,000
BTU**


OPERATION

**Remote control,
app and voice**

FIRE VIEW

Three-sided

SUMMUM 140 3S



Technical specifications

Type	Three-sided, Built-in
Fuel	Gas

Technical specifications

Control via app	Standard
Remote control	Standard

Burner

Real Flame burner

Heat output

Natural gas (min-max)	11,900 - 60,000 BTU
Propane (min-max)	12,600 - 63,100 BTU
Efficiency	90%
Energy efficiency class	A

Options

LED bottom lighting	
Anti-reflective glass	Optional
Connect to home automation	Optional
Powerfan	Optional
Safety screen	Optional
Back wall	Steel or black glass

Options

LED bottom lighting	Standard
Anti-reflective glass	Optional
Connect to home automation	Optional
Powerfan	Optional
Safety screen	Standard
Back wall	Steel or black glass



Corner

Summum 140 C

The Summum 140 Corner combines the generous width of the Summum 140 with the spatial effect of a corner fireplace. The fire is visible from two directions, giving the fireplace more depth and making it a stronger part of the living space. A stylish solution for those who want to combine a large fire image with an open and dynamic setup.

FUEL

**Natural gas,
propane**

HEAT OUTPUT

**11,900 - 60,000
BTU**




CONTROL

**Remote control,
app, and voice**



FIRE VIEW

Corner

SUMMUM 140 CR



SUMMUM 140 CL



ELEMENT4
LUXURY FIREPLACES

Technical specifications

Type	Corner, Built-in
Fuel	Gas

Burner

Real Flame burner

Heat output

Natural gas (min-max)	11,900 - 60,000 BTU
Propane (min-max)	12,600 - 63,100 BTU
Efficiency	90%
Energy efficiency class	A

Technical specifications

Control via app	Standard
Remote control	Standard

Options

LED bottom lighting	Standard
Anti-reflective glass	Optional
Connect to home automation	Optional
Powerfan	Optional
Safety screen	Standard
Back wall	Steel or black glass





Front

Summum 140 F

The Summum 140 Front is made for those who love a wide and impressive fire image. The long glass window gives the flames all the space and makes the fireplace a strong horizontal element in the interior. Thanks to the realistic fire image, the lifelike logs, and the LED fire bed, it feels like you're looking at a real wood fire.

FUEL Natural gas, propane	HEAT OUTPUT 11,900 - 60,000 BTU
CONTROL Remote control, app, and voice	FIRE VIEW Front

SUMMUM 140 F



Technical specifications

Type	Front, Built-in, Outdoor
Fuel	Gas

Burner

Real Flame burner

Heat output

Natural gas (min-max)	11,900 - 60,000 BTU
Propane (min-max)	12,600 - 63,100 BTU
Efficiency	90%
Energy efficiency class	A

Technical specifications

Control via app	Standard
Remote control	Standard

Options

LED bottom lighting	Standard
Anti-reflective glass	Optional
Connect to home automation	Optional
Powerfan	Optional
Safety screen	Standard
Back wall	Steel or black glass






Three-sided

Summum 100 3/S

The Summum 100 3-sided brings the fire even more prominently into the space. Thanks to the glass on three sides, a wide and spacious fire view is created that is visible from different angles. The size offers a beautiful balance between a generous flame display and a relatively compact built-in.

FUEL Natural gas, propane	HEAT OUTPUT 8,800 - 36,100 BTU
CONTROL Remote control, app, and voice	FIRE VIEW Three-sided

SUMMUM 100 3S



ELEMENT4
LUXURY FIREPLACES

Technical specifications

Type	Three-sided, Built-in
Fuel	Gas

Burner

Real Flame burner

Heat output

Natural gas (min-max)	8,800 - 36,100 BTU
Propane (min-max)	9,500 - 38,200 BTU
Efficiency	89%
Energy efficiency class	A

Technical specifications

App control	Standard
Remote control	Standard

Options

LED floor lighting	Standard
Anti-reflective glass	Optional
Connect to home automation	Optional
Powerfan	Optional
Safety screen	Standard
Back wall	Steel or black glass



Corner

Summum 100 C

The Summum 100 Corner shows the fire from two directions, adding extra spaciousness to the interior. The wide glass side combines a generous fire image with the elegant appearance of a corner fireplace. Ideal when you want to use the fireplace not only as a heat source but also as a connection between different parts of the space.

FUEL

**Natural gas,
propane**

HEAT OUTPUT

**8,800 - 36,100
BTU**

CONTROL

**Remote control,
app, and voice**

FIRE VIEW

Corner




Front

Summum 100 F

The Summum 100 Front combines a generous fire view with a size that suits many living spaces. The wide glass pane gives all the attention to the fire and allows the fireplace to seamlessly integrate into a wall or custom interior. An elegant choice for those who want to focus on warmth and atmosphere without opting for an extra large model.

FUEL Natural gas, propane	HEAT OUTPUT 8,800 - 36,100 BTU
CONTROL Remote control, app and voice	FIREVIEW Front



Technical specifications

Type	Front, Built-in
Fuel	Gas

Burner

Real Flame burner

Heat output

Natural gas (min-max)	8,800 - 36,100 BTU
Propane (min-max)	9,500 - 38,200 BTU
Efficiency	89%
Energy efficiency class	A

Technical specifications

App control	Standard
Remote control	Standard

Options

LED floor lighting	Standard
Anti-reflective glass	Optional
Connect to home automation	Optional
Powerfan	Optional
Safety screen	Standard
Back wall	Steel or black glass



Three-sided

Summum 70 3/S

The Summum 70 3-sided offers a view of the fire from three sides. This gives the flame image a spatial and lively appearance, while the compact size makes it suitable for smaller or medium-sized living spaces. A powerful combination of sleek design, realistic fire, and maximum visibility.

FUEL

**Natural gas,
propane**

HEAT OUTPUT

**7,800 - 23,800
BTU**


CONTROL

**Remote control,
app, and voice**

FIRE VIEW

Three-sided

Summum 70 3S



Technical specifications

Type	Three-sided, Built-in
Fuel	Gas

Burner

Real Flame burner

Heat output

Natural gas (min-max)	7,800 - 23,800 BTU
Propane (min-max)	8,800 - 26,900 BTU
Efficiency	88%
Energy efficiency class	B

Technical specifications

App control	Standard
Remote control	Standard

Options

LED bottom lighting	Standard
Anti-reflective glass	Optional
Connect to home automation	Optional
Powerfan	Optional
Safety screen	Standard
Back wall	Steel or black glass







Corner

Summum 70 C

With the Summum 70 Corner, the fire literally gets an extra dimension. The corner setup ensures that the flames are visible not only from the front but also from the side. This creates a more spatial fire image, while the fireplace can be easily applied in various interiors thanks to its compact size.

FUEL Natural gas, propane	HEAT OUTPUT 7,800 - 23,800 BTU
OPERATION Remote control, app, and voice	FIRE VIEW Corner



ELEMENT4
LUXURY FIREPLACES

Technical specifications

Type	Corner, Built-in
Fuel	Gas

Burner

Real Flame burner

Heat output

Natural gas (min-max)	7,800 - 23,800 BTU
Propane (min-max)	8,800 - 26,900 BTU
Efficiency	88%
Energy efficiency class	B

Technical specifications

App control	Standard
Remote control	Standard

Options

LED bottom lighting	Standard
Anti-reflective glass	Optional
Connect to home automation	Optional
Powerfan	Optional
Safety screen	Standard
Back wall	Steel or black glass





Front

Summum 70 F

The Summum 70 Front brings an impressive fire display in a compact format. Thanks to the sleek front, this front fire can be beautifully integrated into a wall, furniture, or media wall. The realistic fire display with lifelike logs and LED glow bed provides warmth and atmosphere, even when the fireplace is burning at a low setting.

FUEL Natural gas, propane	HEAT OUTPUT 7,800 - 23,800 BTU
CONTROL Remote control, app, and voice	FIRE VIEW Front

SUMMUM 70 F



ELEMENT4
LUXURY FIREPLACES

Technical specifications

Type	Front, Built-in
Fuel	Gas

Burner

Real Flame burner

Heat output

Natural gas (min-max)	7,800 - 23,800 BTU
Propane (min-max)	8,800 - 26,900 BTU
Efficiency	88%
Energy efficiency class	B

Technical specifications

App control	Standard
Remote control	Standard

Options

LED bottom lighting	Standard
Anti-reflective glass	Optional
Connect to home automation	Optional
Powerfan	Optional
Safety screen	Standard
Back wall	Steel or black glass



See-through

Sky L T

With the Sky Large Tunnel, fire takes center stage. This generous tunnel fireplace is designed to enjoy the fire from multiple sides of the room. The result is a fireplace that seamlessly combines architecture, interior, and fire. Available in gas or bio-ethanol and made to impress for years.

FUEL

**Natural gas,
propane**

HEAT OUTPUT

14,600 48,100 BTU

CONTROL

**Remote control,
app, and voice**

FIRE VIEW

See-through



Room Divider

Sky L R

The Sky L R is fire as a spatial statement. This iconic room divider model is designed to connect not just a wall, but an entire space with fire. The generous fireplace brings atmosphere on three sides and at the same time provides a powerful architectural element. Like every Sky, it is available in gas or bio-ethanol.

FUEL

**Natural gas,
propane**

HEAT OUTPUT


**14,600 - 48,100
BTU**

CONTROL

**Remote control,
app and voice**

FIRE VIEW

Room divider



Technical specifications

Type	Room Divider, Built-in, Outdoor
Fuel	Gas

Burner

NEXT burner	9,800 - 27,000 BTU
Real Flame burner	14,600 - 48,100 BTU

Heat output Real Flame burner

Natural gas (min-max)	14,600 - 48,100 BTU
Propane (min-max)	14,000 - 42,100 BTU
Efficiency	89%
Energy efficiency class	A

Technical specifications

App control	Standard
Remote control	Standard

Options

LED bottom lighting	Optional
Anti-reflective glass	Optional
Connect to home automation	Optional
Powerfan	Optional
Safety screen	Standard
Back wall	Steel or black glass
3,9 inch wide trims	Optional

Heat output Next burner

Natural gas (min-max)	9,800 - 27,000 BTU
Propane (min-max)	8,100 - 25,200 BTU
Efficiency	89%
Energy efficiency class	A



Front

Sky SQ

The Sky Square is a distinctive interpretation of the iconic Sky concept. With its square shape, this fireplace gives a contemporary twist to the recognizable Element4 fire experience. The design is powerful and pure, allowing the fire to take center stage. Available in gas or bio-ethanol.

FUEL

**Natural gas,
propane**

HEAT OUTPUT

**14,600 - 48,100
BTU**




CONTROL

**Remote control,
app, and voice**

FIRE VIEW

Front

Sky SQ F



ELEMENT4
LUXURY FIREPLACES

Technical specifications

Type	Front, Built-in
Fuel	Gas

Burner

NEXT burner	9,800 - 27,000 BTU
Real Flame burner	14,600 - 48,100 BTU

Heat output Real Flame burner

Natural gas (min-max)	14,600 - 48,100 BTU
Propane (min-max)	14,100 - 42,100 BTU
Efficiency	89%
Energy efficiency class	A

Technical specifications

App control	Standard
Remote control	Standard

Options

LED bottom lighting	Optional
Anti-reflective glass	Optional
Connect to home automation	Optional
Powerfan	Optional
Safety screen	Standard
Back wall	Steel or black glass
3,9 inch wide trims	Optional

Heat output Next burner

Natural gas (min-max)	9,800 - 27,000 BTU
Propane (min-max)	8,100 - 25,200 BTU
Efficiency	89%
Energy efficiency class	A



See-through

Sky S T

The Sky Small Tunnel combines the iconic Sky design with a surprisingly spacious fire experience. Thanks to the tunnel setup, the fire remains visible from different sides, giving the fireplace an open, almost architectural character. A powerful way to let ambiance flow through a space without compromising on design. Available in gas or bio-ethanol.

FUEL

Natural gas,
propane

HEAT OUTPUT

14,600 - 48,100
BTU


CONTROL

Remote control,
app, and voice

FIRE VIEW

See-through

SKY S T



Technical specifications

Type	See-through, Built-in, Outdoor
Fuel	Gas

Options

LED bottom lighting	Optional
Anti-reflective glass	Optional
Connect to home automation	Optional
Powerfan	Optional
Safety screen	Standard
Back wall	Steel or black glass
3,9 inch wide trims	Optional

Burner

NEXT burner	9,800 - 27,000 BTU
Real Flame burner	14,600 - 48,100 BTU

Heat output Real Flame burner

Natural gas (min-max)	14,600 - 48,100 BTU
Propane (min-max)	14,000 - 42,000 BTU
Efficiency	89%
Energy efficiency class	A

Heat output Next burner

Natural gas (min-max)	9,800 - 27,000 BTU
Propane (min-max)	8,100 - 25,200 BTU
Efficiency	89%
Energy efficiency class	A



Room Divider

Sky S R

With the Sky S R, a room divider becomes an atmospheric part of the interior. The fire forms the connection between two spaces and gives both sides their own view of the flames. This creates an open and spacious whole, as can be seen here in the images, without losing the warmth and intimacy of a fireplace. Available in gas or bio-ethanol.

FUEL

**Natural gas,
propane**

HEAT OUTPUT


**14,600 - 48,100
BTU**

CONTROL

**Remote control,
app, and voice**

FIRE VIEW

Room divider



Technical specifications

Type	Room Divider, Built-in, Outdoor
Fuel	Gas

Burner

NEXT burner	9,800 - 27,000 BTU
Real Flame burner	14,600 - 48,100 BTU

Heat Output Realflame burner

Natural gas (min-max)	14,600 - 48,100 BTU
Propane (min-max)	14,000 - 42,000 BTU
Efficiency	89%
Energy efficiency class	A

Technical specifications


App control	Standard
Remote control	Standard

Options

LED bottom lighting	Optional
Anti-reflective glass	Optional
Connect to home automation	Optional
Powerfan	Optional
Safety screen	Standard
Back wall	Steel or black glass
3,9 inch wide trims	Optional

Heat Output NEXT burner

Natural gas (min-max)	9,800 - 27,000 BTU
Propane (min-max)	8,100 - 25,200 BTU
Efficiency	89%
Energy efficiency class	A




Room Divider

Sky M R

The Sky Medium Roomdivider brings space and ambiance together. With its generous size and distinctive open character, it creates a powerful connection between different living spaces. A versatile design where fire, architecture, and interior perfectly come together.

FUEL Natural gas, propane	HEAT OUTPUT 14,600 - 48,100 BTU
CONTROL Remote control, app, and voice	APPLICATION Roomdivider



Technical specifications

Type	Room Divider, Built-in, Outdoor
Fuel	Gas

Burner

NEXT burner	9,800 - 27,000 BTU
Real Flame burner	14,600 - 48,100 BTU

Heat Output Realflame burner

Natural gas min-max)	14,600 - 48,100 BTU
Propane (min-max)	14,000 - 42,000 BTU
Efficiency	89%
Energy efficiency class	A

Technical specifications

App control	Standard
Remote control	Standard

Options

LED bottom lighting	Optional
Anti-reflective glass	Optional
Connect to home automation	Optional
Powerfan	Optional
Safety screen	Standard
Back wall	Steel or black glass
3,9 inch wide trims	Optional

Heat Output NEXT burner

Natural gas (min-max)	9,800 - 27,000 BTU
Propane (min-max)	8,100 - 25,200 BTU
Efficiency	89%
Energy efficiency class	A




Front

Sky S F

The Sky Small Front brings the iconic Element4 design in an accessible format. The recognizable silhouette, the intense fire experience, and the strong appearance come together in a fireplace that easily adapts to different interior styles. Designed with the same quirkiness as the larger Sky models, but with a size that offers new possibilities. Available in gas or bio-ethanol.

FUEL Natural gas, propane	HEAT OUTPUT 14,600 - 48,100 BTU
CONTROL Remote control, app and voice	FIRE VIEW Front

SKY S F



ELEMENT4
LUXURY FIREPLACES

Technical specifications

Type	Front, Built-in, Outdoor
Fuel	Gas

Burner

NEXT burner	9,800 - 27,000 BTU
Real Flame burner	14,600 - 48,100 BTU

Heat Output Realflame burner

Natural gas min-max)	14,600 - 48,100 BTU
Propane (min-max)	14,000 - 42,000 BTU
Efficiency	89%
Energy efficiency class	A

Technical specifications

App control	Standard
Remote control	Standard

Options

LED bottom lighting	Optional
Anti-reflective glass	Optional
Connect to home automation	Optional
Powerfan	Optional
Safety screen	Standard
Back wall	Steel or black glass
3,9 inch wide trims	Optional

Heat Output NEXT burner

Natural gas (min-max)	9,800 - 27,000 BTU
Propane (min-max)	8,100 - 25,200 BTU
Efficiency	89%
Energy efficiency class	A



See-through

Sky M T

The Sky Medium Tunnel shows how powerful fire becomes when you look beyond just one viewing side. This tunnel fireplace combines the iconic Sky design with a spatial fire experience that is visible from different sides. This creates a fireplace that not only adds atmosphere but becomes part of the architecture. Available in gas or bio-ethanol.

FUEL

**Natural gas,
propane**

HEAT OUTPUT


**14,600 - 48,100
BTU**

CONTROL

**Remote control,
app, and voice**

FIRE VIEW

See-through



Technical specifications

Type	See-through, Built-in, Outdoor
Fuel	Gas

Burner

NEXT burner	9,800 - 27,000 BTU
Real Flame burner	14,600 - 48,100 BTU

Heat Output Realflame burner

Natural gas min-max)	14,600 - 48,100 BTU
Propane (min-max)	14,000 - 42,000 BTU
Efficiency	89%
Energy efficiency class	A

Technical specifications

App control	Standard
Remote control	Standard

Options

LED bottom lighting	Optional
Anti-reflective glass	Optional
Connect to home automation	Optional
Powerfan	Optional
Safety screen	Standard
Back wall	Steel or black glass
3,9 inch wide trims	Optional

Heat Output NEXT burner

Natural gas (min-max)	9,800 - 27,000 BTU
Propane (min-max)	8,100 - 25,200 BTU
Efficiency	89%
Energy efficiency class	A




Front

Sky M F

The Sky Medium Front proves that an iconic design doesn't have to be large to make a big impression. With its recognizable Sky design and intense fire experience, this fireplace brings character to various interiors. A carefully designed combination of fire, form, and simplicity, born from the belief that a fireplace can be more than just warmth. Available in gas or bio-ethanol.

FUEL Natural gas, propane	HEAT OUTPUT 14,600 - 48,100 BTU
CONTROL Remote control, app, and voice	FIRE VIEW Front



Technical specifications

Type	Front, Built-in, Outdoor
Fuel	Gas

Burner

NEXT burner	9,800 - 27,000 BTU
Real Flame burner	14,600 - 48,100 BTU

Heat Output Realflame burner

Natural gas min-max)	14,600 - 48,100 BTU
Propane (min-max)	14,000 - 42,000 BTU
Efficiency	89%
Energy efficiency class	A

Technical specifications

App control	Standard
Remote control	Standard

Options

LED bottom lighting	Optional
Anti-reflective glass	Optional
Connect to home automation	Optional
Powerfan	Optional
Safety screen	Standard
Back wall	Steel or black glass
3,9 inch wide trims	Optional

Heat Output NEXT burner

Natural gas (min-max)	9,800 - 27,000 BTU
Propane (min-max)	8,100 - 25,200 BTU
Efficiency	89%
Energy efficiency class	A



Front

Sky L F

The Sky Large Front is an icon within the Element4 collection. A fireplace that we conceived and designed ourselves from one clear ambition: to experience fire more intensely and to continuously advance design. With its generous size and powerful flame image, the Sky L F makes fire a natural centerpiece in the interior. Available in gas or bio-ethanol, for an atmosphere that not only impresses today but lasts for years.

FUEL Natural gas, propane	HEAT OUTPUT 14,600 - 48,100 BTU
CONTROL Remote control, app, and voice	FIRE VIEW Front

Technical drawings of the SKY LARGE fire door assembly, showing dimensions in millimeters (mm).

Top View (Left):

- Overall width: $200 \pm \frac{7}{8}$
- Overall height: $130 \pm \frac{5}{8}$
- Central opening diameter: $\varnothing 5 \frac{1}{8}$
- Side flange width: $104 \pm \frac{7}{16}$

Front View (Bottom Left):

- Overall height: $1992 \pm \frac{39}{16}$
- Fire view opening height: $1590 \pm \frac{62}{16}$
- Fire view opening width: $700 \pm \frac{27}{16}$
- Frame height: $712 \pm \frac{28}{16}$ ext.
- Frame width: $880 \pm \frac{38}{8}$
- Adjustable height range: $172 \pm \frac{6}{16}$ ext.

Side View (Bottom Right):

- Overall width: $300 \pm \frac{11}{16}$
- Frame width: $1021 \pm \frac{79}{16}$
- Adjustable width range: $390 \pm \frac{15}{8}$
- Adjustable width range: $402 \pm \frac{15}{16}$

Detail View (Top Right):

- Shows the door frame assembly with a circular opening and a handle.

Legend:

- Fire view opening
- Frame
- Adjustable

SKY LARGE

Type	Front, Built-in, Outdoor
Fuel	Gas


NEXT burner	9,800 - 27,000 BTU
Real Flame burner	14,600 - 48,100 BTU

Natural gas min-max)	14,600 - 48,100 BTU
Propane (min-max)	14,000 - 42,000 BTU
Efficiency	89%
Energy efficiency class	A

App control	Standard
Remote control	Standard

LED bottom lighting	Optional
Anti-reflective glass	Optional
Connect to home automation	Optional
Powerfan	Optional
Safety screen	Standard
Back wall	Steel or black glass
3,9 inch wide trims	Optional

Natural gas (min-max)	9,800 - 27,000 BTU
Propane (min-max)	8,100 - 25,200 BTU
Efficiency	89%
Energy efficiency class	A



Front

DSE 70

The DSE 70 combines the ambiance of a real fireplace with the sleek appearance of a modern insert fireplace. Thanks to its compact size, the fireplace is ideally suited for renovation and updating existing fireplace situations.

With its high-quality finish, realistic flame effect, and smart controls, the DSE 70 is designed for those who value atmosphere, comfort, and ease of use. A modern solution that breathes new life into an existing fireplace.

FUEL Natural gas, propane	HEAT OUTPUT 6,100 - 16,700 BTU
CONTROL Remote control, app, and voice	APPLICATION Front fireplace

Technical drawing of the ELEM LUXURY FIRE 70 oven, showing front, side, and perspective views with dimensions in inches and millimeters.

Front View Dimensions:

- Overall width: $26\frac{7}{8}$ [680]
- Top panel height: $1\frac{9}{16}$ [40]
- Door height (excluding top panel): $14\frac{7}{16}$ [367]
- Door height (including top panel): $15\frac{7}{8}$ [407]
- Door width (excluding top panel): $8\frac{1}{16}$ [217]
- Door width (including top panel): $9\frac{7}{16}$ [237]
- Door handle height: $3\frac{15}{16}$ [100]
- Door handle width: $5\frac{7}{8}$ [150]
- Door handle depth: $3\frac{15}{16}$ [100]

Side View Dimensions:

- Overall depth: $25\frac{3}{16}$ [640]
- Door depth (excluding top panel): $22\frac{3}{8}$ [568]
- Door depth (including top panel): $22\frac{5}{8}$ [575]
- Door depth (including top panel and handle): $29\frac{15}{16}$ [760]
- Door depth (including top panel and handle, adjustable): $29\frac{15}{16}$ [760]
- Door depth (including top panel and handle, adjustable, with 24mm gap): $29\frac{15}{16}$ [760]

Perspective View Dimensions:

- Overall depth: $25\frac{3}{16}$ [640]
- Door depth (excluding top panel): $22\frac{3}{8}$ [568]
- Door depth (including top panel): $22\frac{5}{8}$ [575]
- Door depth (including top panel and handle): $29\frac{15}{16}$ [760]
- Door depth (including top panel and handle, adjustable): $29\frac{15}{16}$ [760]
- Door depth (including top panel and handle, adjustable, with 24mm gap): $29\frac{15}{16}$ [760]

Internal View Dimensions:

- Internal width: $13\frac{3}{16}$ [335]
- Internal height: $22\frac{5}{8}$ [575]
- Internal depth: $22\frac{3}{8}$ [568]
- Internal depth (including top panel): $22\frac{5}{8}$ [575]
- Internal depth (including top panel and handle): $29\frac{15}{16}$ [760]
- Internal depth (including top panel and handle, adjustable): $29\frac{15}{16}$ [760]
- Internal depth (including top panel and handle, adjustable, with 24mm gap): $29\frac{15}{16}$ [760]

Adjustable Dimensions:

- Adjustable depth: $1\frac{3}{8}$ [35]
- Adjustable depth (with 24mm gap): $1\frac{3}{8}$ [35]
- Adjustable depth (with 24mm gap, 24mm gap): $1\frac{3}{8}$ [35]

ELEMENT4
LUXURY FIREPLACES

Technical specifications

Type	Front, Inset
Fuel	Gas

Options

LED floor lighting	Optional
Connect to home automation	Optional
Powerfan	Optional
Back wall	Steel or black glass

Technical specifications

App control	Standard
Remote control	Standard

Heat output

Natural gas(min - max)	6,100 - 16,700 BTU
Propane (min - max)	6,100 - 16,700 BTU
Efficiency	89%
Energy efficiency class	A




Front

Ovation SW

The Ovation Side Window adds an extra dimension to the fire. Thanks to the side window, you not only look directly at the flames, but you also experience the fire from the side. The combination of the compact, freestanding design and the wide view of the flames makes this gas fireplace particularly atmospheric.

FUEL Natural gas, propane	HEAT OUTPUT 5,800 - 22,500 BTU
CONTROL Remote control, app, and voice	FIRE VIEW Three-sided

OVATION SW



Technical specifications

Type	Front, Three-sided, Freestanding
Fuel	Gas

Burner

Real Flame burner

Heat output

Natural gas (min-max)	5,800 - 22,500 BTU
Propane (min-max)	5,400 - 23,200 BTU
Efficiency	90%
Energy efficiency class	B

Technical specifications

Control via app	Standard
Remote control	Standard

Options

Safety screen	Standard
Back wall	Steel or black glass




Front

Ovation

The Ovation is a stylish freestanding gas fireplace that combines warmth and ambiance in a compact, modern design. The realistic flame effect of the Real Flame Burner and the lifelike logs provide the appearance of a real wood fire. Thanks to its freestanding design, the fireplace naturally finds its place in the interior.

FUEL Natural gas, propane	HEAT OUTPUT 5,800 - 22,500 BTU
CONTROL Remote control, app, and voice	FIRE VIEW Front

OVATION



Technical specifications

Type	Front, Freestanding
Fuel	Gas

Burner

Real Flame burner

Heat output

Natural gas (min-max)	5,800 - 22,500 BTU
Propane (min-max)	5,400 - 23,200 BTU
Efficiency	90%
Energy efficiency class	B

Technical specifications

Control via app	Standard
Remote control	Standard

Options

Safety screen	Standard
Back wall	Steel or black glass



Fire.

Designed to *inspire*.
Engineered to *ignite*.
Refined to *impress*.

ELEMENT4
LUXURY FIREPLACES